

DUO the next generation



Mod CP/1

TAVOLO FREDDO ASPIRANTE-SOFFIANTE & PRESSA PANTALONI 1 BATTUTA 4 PIEGHE
TABLE ASPIRANTE-SOUFFLANTE A FROIDE & PRESSE JAMBES PANTALONS 1 PRESSAGE 4 PLIES
VACUUM-BLOWING COLD TABLE & LEGS-PRESS 1 PRESSED 4 CREASES


Clean Life
www.cleanlife.it
Roma (IT)

Mod CP/1



FUNZIONE TAVOLO FREDDO ASPIRANTE – SOFFIANTE
FONCTION TABLE FROIDE ASPIRANTE-SOUFFLANTE
VACUUM-BLOWING COLD TABLE FUNCTION

FUNZIONE PRESSA
FONCTION PRESSE
PRESSING FUNCTION




SPOSTAMENTO PNEUMATICO DEL PIANO INFERIORE TRA LE DUE FUNZIONI PER UN'OPTIMALE POSIZIONE DELL'OPERATRICE
DEPLACEMENT PNEUMATIQUE DU PLATEAU INFERIEUR ENTRE LES DEUX FONCTIONS POUR LA MEILLEURE POSITION DE L'OPERATRICE
PNEUMATIC SHIFTING OF THE LOWER BOARD BETWEEN THE TWO FUNCTIONS FOR THE BEST IRONER-POSITION




FOTOCELLULA PER ASPIRAZIONE FUNZIONE TAVOLO
PHOTOCELL FOR ASPIRATION FUNCTION TABLE
PHOTOCELL FOR THE VACUUM FUNCTION TABLE

GAMBE SOVRAPPOSTE 1 BATTUTA 4 PIEGHE
JAMBES SUPERPOSEES 1 PRESSAGE 4 PLIES
LAID UPON LEGS 1 PRESSED 4 CREASES






PRO G R A M M A T O R E T E M P I
P R O G R A M M A T E U R T E M P S
T I M E S P R O G R A M M A T O R



M O D E L L O A P I A N O M A X I C O D A S T A N D A R D
M O D E L A V E C P L A T E A U M A X I Q U E U J E S T A N D A R D
M O D E L W I T H M A X I B O A R D S T A N D A R D T A I L



M O D E L L O A P I A N O M A X I C O D A P E N S
M O D E L A V E C P L A T E A U M A X I Q U E U J E - P I N S E S
M O D E L W I T H M A X I B O A R D P I N S E S T A I L



OPTIONAL



SISTEMA " TOPPER" VAPORE - SOFFIATURA BACINO
 SYSTEME " TOPPER" VAPEUR- SOUFFLAGE BASSIN
 " TOPPER" SYSTEM STEAM - BLOWING BASIN



OPTIONALS

ALL-STEAM IRON
 ELECTRIC-STEAM IRON
 INOX BOILER 6 LTS - ELEMENTS 6 KW
 STEAM GUN
 AIR-STEAM GUN
 ATOMIZING WATER GUN
 BLOWING-POWER-VARIATOR

FERRO ELETTOVAPORE
 FERRO VAPORE-VAPORE
 CALDAIA LT 6 INOX - RESISTENZE 6 KW
 PISTOLA VAPORE
 PISTOLA ARIA- VAPORE
 PISTOLA NEBULIZZATRICE ACQUA
 VARIATORE POTENZA SOFFIATURA

CHAUDIERE INOX 6 LTS - RESIST. 6 KW
 PISTOLETTE VAPEUR
 PISTOLETTE AIR- VAPEUR
 FER A REPASSER ELECTROVAPEUR
 FER A REPASSER VAPEUR-VAPEUR
 PISTOLETTE NEBULISSATRICE EAU
 VARIATEUR PUISSANCE SOUFFLERIE

DATI :

BLOWING MOTOR	HP 0,5
VACUUM MOTOR	HP 1
STEAM CONSUMPT. AT 5 Bar	10 Kg/h
With ALL-STEAM IRON	12 Kg/h
ELECTRIC CONSUMPT.	2,2 Kw
With ELECTRIC IRON	3,2 Kw
Air-Compr. CONS. At 6 Bar	150 Lts/h

MOTORE SOFFIATURA	HP 0,5
MOTORE ASPIRAZIONE	HP 1
CONSUMO VAPORE A 5 Bar	10 Kg/h
con Ferro VAP-VAP	12 Kg/h
CONSUMO ELETTRICO	2,2 Kw
con Ferro Elettrovapore	3,2 Kw
CONSUMO ARIA-C A 6 Bar	150 Lts/h

MOTEUR SOUFFLERIE	HP 0,5
MOTEUR ASPIRATION	HP 1
CONSO M. VAPEUR A 5 Bar	10 Kg/h
Avec Ferro VAP-VAP	12 Kg/h
CONSO M. ELECTRIQ.	2,2 Kw
Avec Fer VAP-VAP	3,2 Kw
CONSO M Aire-Comp 6 Bar	150 Lts/h

Clean Life
www.cleanlife.it